# The Cold Never Bothered Me Anyway



CL20 All-Season Camping Lantern 165 lumens





## Two color options



- ✓ All-season performance
- ✓ Innovative battery compartment
- Multifaceted globe for maximum output and anti-glare lighting
- ✓ Neutral white output plus red light
- ✓ Built-in hanging loop and magnet for easy attachment





### All-season performance

Designed with all-season campers in mind, CL20 camping lantern supports CR123A lithium battery with operating temperature down to -40 degrees.



# Innovative battery compartment

The battery compartment not only supports high performance CR123A lithium battery but AA battery as well. You can choose battery types according to different type of campgrounds.







Powered by two AA batteries




Multifaceted globe for maximum output and anti-glare lighting

The inner of the globe are composed of 246 irregular aspheric diffusing units to provide optimum light transmittance and anti–glare lighting.





## Five outputs plus SOS mode







#### White light

- ✓ON/OFF: press and hold the switch for 0.8 seconds
- Output selection: press the switch to cycle through four brightness levels in the order of Low>Mid>High>Turbo when the light is turned on.

#### Red light

- SOS mode: double press the switch when the light is turned on.
- Constant-on: press the switch when the light is in SOS mode.





### IPX-6 standard

Protect against heavy splash and rain



ANSI/NEMA FL 1		Turbo	High	Mid	Low	Red Light	sos
ОИТРИТ		165 Lumens	100 Lumens	50 Lumens	8 Lumens	1.5 Lumens	1.5 Lumens
RUNTIME	Ni-MH Battery	2h 23min	5h 15min	11h 28min	71h 40min	27h 10min	1
	Alkaline Battery	3h 10min	4h 9min	9h 4min	56h 40min	24h 15min	1
	CR123A	2h	3h 31min	7h 32min	46h 50min	20h	1
DISTANCE				10m			
WATER RESISTANT			IPX-6				
IMPACT R	ESISTANT			1.5m			

The above-mentioned parameters (lab tested by Fenix using 2500mAh Ni-MH batteries, quality CR123A Lithium battery and the included Alkaline batteries) are approximate and may vary between different lights, batteries and environments.



- Utilizes nine neutral white LEDs and two red LEDs with an even and smooth beam
- White light with four output options and red light with two output options
- Powered by one CR123A Lithium battery or two AA (Ni-MH, Alkaline) batteries
- Built-in magnet for easy attachment
- Dimension: 78.4 mm (Length) x 45.2mm (Width) X 59.1mm (Height)
- Digitally regulated output maintains constant brightness
- ✓ One-button switch for easy and fast operation
- Reverse polarity protection guards against improper battery installation
- Made of quality plastic and high-transparency material