

**FENIX**

**HIGH INTENSITY CHARGE  
AND DISCHARGE CAMPING  
LANTERN**

**Fenix CL30R**

Max **650** Lumens



## Fenix CL30R

The Fenix CL30R rechargeable camping lantern offers flexibility in power, charging and brightness levels. This versatile lantern not only features a Micro USB port to recharging, but it is the first Fenix lantern that serves as an independent charging station for other devices. The powerful CL30R delivers a maximum output of 650 lumens, which illuminates an area 35 meters in diameter. Powered by one, two or three 18650 rechargeable batteries, this lantern offers five brightness levels, Turbo and Flash. The CL30R features a cold-resistant battery compartment for all-season use, charging and battery-level indicators for accurate operation, and a hanging lanyard and tripod socket for flexible lighting options



- ✦ Max 650 lumens output, wide beam illumination
- ✦ Micro USB charge and discharge function
- ✦ Independent circuit design
- ✦ Battery level indicator



## Max 650-lumen Output

35-meter wide beam diameter illumination,  
CL30R is ideal for your camping etc.



## Micro USB charge and discharge function

### Discharging port

- ✦ Compatible with common Micro-USB charging cable.
- ✦ Serves as a power bank to charge other digital products.

\*1. In charging, the indicator lights are flashing; when fully charged, the light will constant on.  
2. Charge and discharge function only work on 18650 batteries with button top.



### Charging port

- ✦ Built-in protective circuit protects CL30R from over-charging and over-discharging.
- ✦ Mid output is available when the light is being charged.
- ✦ Low output is available when the light is connected with electric outlet without batteries.

# Independent circuit design

CL30R can be lightened not only with three batteries, but also one or two.

\*When powered by one or two batteries, the runtime will be shortened accordingly with the same output level.



## Battery level indicator

When the light is off, single click the switch to enter into battery level indicator state.



4 constant on, over 85%



3 constant on, 61-85%



2 constant on, 35-60%



1 constant on, below 35%

\*When the battery voltage level drops below the preset level, the indicator light will flash to remind you to charge or replace battery.



## One button switch for easy and fast operation


- ✦ Long press 0.8s to turn on/off the lamp;
- ✦ With the light on, single click to select output levels;
- ✦ Double click to enter flash mode, and another click to return to previous output level.





## Excellent cold resistance

Along the surface of battery compartment, the heat dissipation paths are designed as a protective layer against the cold while ensuring the heat-dissipating capability, thus the runtime of 18650-powered light under low temperature will be improved.



## Hanging loop and tripod socket

---

Various mounting ways for easy attachment.



Hanging loop



tripod socket



## IPX-7 standard

High water resistant ability and floatability, qualify for various outdoor activities.



		<b>Turbo</b>	<b>High</b>	<b>Mid</b>	<b>Low</b>	<b>Eco</b>	<b>Flash</b>
<b>Output</b>		650 Lumens	350 Lumens	100 Lumens	50 Lumens	10 Lumens	100 Lumens
<b>Runtime</b>	2600mAh	4h30min	9h	38h	70h	300h	70h
	3500mAh	6h	12h	51h	93h	400h	93h
<b>Beam Diameter</b>							35m
<b>Impact Resistance</b>							1m
<b>Waterproof</b>							IPX-7

Note: The above-mentioned parameters (lab-tested by using three Fenix ARB-L18-3500 and the included Fenix ARB-L18-2600 18650 rechargeable Li-ion batteries) are approximate and may vary between flashlights, batteries and environments.



- ✦ Max 650 lumens, wide-range and high-intensity luminance
- ✦ 35-meter diameter wide-range beam
- ✦ Powered by one, two or three 18650 rechargeable Li-ion batteries
- ✦ 93mm ( Diameter ) × 136mm ( Height )
- ✦ 412 grams ( excluding batteries and other accessories )
- ✦ Serves as a portable power bank
- ✦ Excellent cold-resistant design
- ✦ Integrated Micro USB charging with battery level indicator and low-voltage warning function
- ✦ Waterproof to IPX-7 standard
- ✦ Reverse polarity protection, to protect from improper battery installation
- ✦ Tripod socket for easy attachment
- ✦ Single button switch for easy and fast operation



## Included in the package

- ✦ CL30R camping lantern×1
- ✦ Spare O-ring for water seal×1
- ✦ Micro USB cable×1
- ✦ ARB-L18-2600 rechargeable 18650 battery×3
- ✦ User Manual×1
- ✦ Warranty card×1